

KNOW IBM ? KNOW LEXMARK ? THEN YOU ALREADY KNOW A LOT ABOUT US.

Introducing Unicomp, your key component

Yes, we're a new company. But no newcomer ever had a better family background. Or a bigger head start.



Our corporate history stretches only back to April, 1996, when we purchased keyboard technology from Lexmark, former manufacturer of IBM keyboards. But Unicomp employees average 20 + years of experience with those

Unicomp, Inc.
510 Henry Clay Blvd.
Lexington, KY 40505

606.233.2130 fax 606.231.8282



Your Key Component

multi-national companies.

And many of the same people, who in 1995 produced millions of keyboards for Lexmark customers worldwide, continue to manufacture keyboards for us today.

We even cover all Lexmark keyboard service and warranty agreements. Lexmark trusted us. You can, too.

We intend to be the keyboard industry's acknowledged leader in technology, quality, and service. In many ways, at our 100,000-square-foot home in Lexington, Kentucky, we're already near that goal.

Here's what we can do for you

KEYBOARDS

- Pointing Stick keyboards
- Trackball keyboards
- Keyboards for IBM Terminals
- Space-saving keyboards
- Adjustable keyboards
- Custom layouts and colors
- 45 foreign language layouts

POINTING STICK DEVICES AND CONTROLLERS

- Exclusive patent-protected keyboard locations
- FSR Technology (*Force Sensing Resistor*)
- Strain Gauge Technology

KEYBUTTONS FOR LEXMARK AND IBM KEYBOARDS

- 50 different button styles
- 15 stocked colors, plus clear caps
- Custom colors available in large quantity orders
- 300 + foreign language and terminal keyboard layouts
- Millions of keybuttons in inventory
- IBM Point of Sale keyboard lens caps and buttons

CONTACT US

www.pckeyboard.com
unicomp@lex.inf.net



Your Key Component

PRICING & REPAIR INFORMATION

The pricing structure below is intended for reference purposes only. The prices quoted do not reflect any special offers, quantity discounts, reseller/distributor agreements, or OEM contract pricing. If you believe that you qualify for one or more of these offers, please contact a Unicom representative. The information below is subject to change without prior notice. This list was last updated on *September 2, 1999*.

Keyboard

Price (U.S.)

Customizer – Quiet Touch	\$69
Customizer – Buckling Spring	\$79
On The Ball – ALL FORMATS	\$99
On The Stick – ALL FORMATS	\$99
On The Ball PLUS– ALL FORMATS	\$149
Mighty Mouse – Pearl White, no keypad, no Pt. Stick	\$89
Mighty Mouse – Pearl White, no keypad	\$99
Mighty Mouse – Pearl White with keypad	\$124
Mighty Mouse – Raven Black, no keypad	\$109
Mighty Mouse – Raven Black with keypad	\$134
Emulator – Enhanced Quiet Touch	\$89
Emulator – Buckling Spring	\$99
Terminal – Enhanced Quiet Touch	\$89
Terminal – Buckling Spring	\$99
Point of Sale – MSR and Bar Code	\$219
Point of Sale – MSR Only	\$189
Point of Sale – Bar Code Only	\$189
Point of Sale – MSR, Pt. Stick and Bar Code	\$249
Value Plus – ALL FORMATS	\$7
Webboard – Raven Black	\$69
Space Saver – Buckling Spring ONLY	\$69

REPAIR SERVICE FEES

Please obtain return authorization from an authorized Unicom representative prior to returning any item for repair/warranty work.

Standard Keyboard	\$30
All Pointing Stick and/or Trackball Models	\$60
Select Ease Keyboard (Split Ergonomic Unit)	\$45
Terminal/Emulator Keyboards	\$45



Your Key Component

CUSTOMIZATION CAPABILITIES

The Flexibility That Sets Unicom Apart from the rest of the Industry

Unicom Inc. is a lot more than just a keyboard manufacturer. Consider us a complete source for your custom needs, too. Not only do we provide cosmetic solutions (colored buttons, custom layouts, and corporate logos), we develop customized scan codes to meet several Terminal/PC requirements.



We even offer programmable models that enable the user to alternate between IBM compatible PCs and Terminal computers **WITH THE SAME KEYBOARD!**



In addition to these great features, we'll even design a new product (based upon volume commitments) for you to incorporate into your product line. Our engineering team specializes in offering such new designs. We've even added a telephone to one of our keyboards!



The next time your job calls for a custom configuration, give us a call. We pride ourselves in being the best full service OEM in the business.

Unicom also features a repair center for most IBM/Lexmark keyboard models. If you have a keyboard that is no longer operating or could use a "makeover," give us a call. Our returns/service department strives to complete all small volume repairs within 48 hours of receiving your keyboard.



We even sell covers to keep your keyboard clean and to prevent spills and dust from ever damaging your keyboard again!

For more details, contact a Unicom, Inc. representative toll free at 800-777-4886 or email us at unicomp@lex.infi.net. To view a complete list of IBM/Lexmark parts supported, please visit our website at www.pckeyboard.com.

Company Information

Location: 510 Henry Clay Boulevard
Lexington, Kentucky (USA) 40505

Phone: 606-233-2130 or toll free 800-777-4886

Fax: 606-231-8282

Email: unicomp@lex.infi.net

Website: www.pckeyboard.com

Company Officials and Telephone Extensions

<u>Name</u>	<u>Title</u>	<u>Extension</u>
Neil Muyskens	President	200
Jeanne Deters	Benefits Coordinator	201
Jim Owens	Account Manager	202
John Welsch	Account Manager	203
Mike Miller	Systems Engineer	204
George Miller	Plant Supervisor	205
Chuck Cropper	Account Manager	206
Bob Allen	Inventory Control	209
Lou May	Inventory Control	210
Phil House	Database Management	211
H.T. Johnson	Inventory Control Manager	212
Jim Sanders	Procurement Manager	213
Bill Montgomery	Production Supervisor	215
Candy Powell	Inventory Manager	216
Vandetta Browning	Production Supervisor	217
Paul Sidwell	Inventory Control	218
Russ Scofield	Finance Manager	219

UNICOMP CREDIT APPLICATION

COMPANY INFORMATION

Company Name: _____ **Phone:** _____ **Fax:** _____

Billing Address: _____
(Street/PO Box) (City) (State/Prov) (Zip/Postal Code)

Shipping Address: _____
(If different) (Street/PO Box) (City) (State/Prov) (Zip/Postal Code)

Contact or Individual/Dept. Responsible for Payment of Invoice: _____
(Name) (Phone) (Fax)

Type of Business: Corporation Partnership Proprietorship State Incorporated: _____

Nature of Business: _____ **No. of Employees:** _____ **Annual Sales (\$):** _____

FINANCIAL INFORMATION

Bank Name: _____ **Phone:** _____ **Fax:** _____

Bank Address: _____
(Street/PO Box) (City) (State/Prov) (Zip/Postal Code)

FED ID: _____ **Dun & Bradstreet:** _____ **Tax Exempt:** _____

Credit Required (\$) _____

CREDIT REFERENCES

NAME	ADDRESS	CITY	STATE	ZIP	TELEPHONE

<p>The information provided on this form is for the purpose of opening an account or establishing credit with Unicom, Inc. The signer below certifies that all information provided is correct and authorizes release of credit information from the references listed on this form.</p> <p>_____</p> <p style="text-align: center;"><small>(Signature of authorized officer/principal, Title and Date)</small></p> <p>_____</p> <p style="text-align: center;"><small>(Please print signed Name)</small></p>	<p>Mail or FAX completed application along with latest Dunn & Bradstreet Report to:</p> <p>Unicom, Inc. 510 Henry Clay Blvd. Lexington, KY 40505-4050</p> <p>Phone: 606-233-2130 Fax: 606-231-8282</p>
---	--



Your Key Component

WARRANTY INFORMATION

All Unicom, Inc. keyboards sold within the continental United States are subject to the following warranty agreement:

Warranty

Unicom warrants that this product is manufactured from new, or new and reconditioned parts that perform like new parts; is defect free in workmanship and materials; conforms to Unicom's operating specifications and is in good working order. The warranty period is eighteen months from date of manufacture or twelve months from date of original purchase whichever is greater. The warranty is fully transferable during the warranty period.

Warranty Service

If this product does not function as warranted during the warranty period, return it to Unicom for repair or replacement free of charge. For express service and Return Authorization and shipping instructions enter your warranty claim via the Internet at **www.pckeyboard.com**.

If you do not have access to the Internet, call Unicom at 1-800-777- 4886 for return authorization and shipping instructions. Should Unicom determine that product exchange is required, the product replaced becomes the sole property of Unicom. The replacement product assumes the remaining warranty period of the original product. Replacement is not available for products that are defaced, altered, in need of repair not included within warranty service specifications, or damaged beyond repair. Also, any product must be free of any contracts or legal obligations that would prevent or limit its exchange.

Extent of Warranty

Warranty service excludes repair of defects caused by misuse, accident, modification, improper operating environment, improper maintenance, or failure caused by a product for which Unicom is not responsible. ALL EXPRESSED AND IMPLIED WARRANTIES, INCLUDING THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, ARE LIMITED TO THE DURATION OF THE WARRANTY PERIOD. NO WARRANTIES, EXPRESS OR IMPLIED, WILL APPLY AFTER THIS PERIOD.

Limitation of Liability

The ONLY solution under this Statement is set forth in this section. You may recover actual damages up to, but not exceeding, the limit set forth in the following paragraph concerning the performance or nonperformance of this product.

Unicom's liability for actual damages from any cause whatsoever will be limited to the amount paid for the keyboard which caused the damages. In no event will Unicom be liable for damages caused by your failure to fulfill your responsibilities under this Statement of Limited Warranty. In no event will Unicom be liable for any lost profits, lost savings, incidental damage, or other economic consequential damages. This is true even if you advise Unicom or a reseller of the possibility of such damages. Unicom is not liable for any claim by you based on a third party claim.

Additional Rights

Some states do not allow limitations on the length of an implied warranty, or do not allow the exclusion or limitation of incidental or consequential damages. If such laws are applicable, the provisions contained within this statement may not apply to you. This warranty provides you with specific legal rights. Additional rights may also apply and vary from state to state.

All products purchased outside of the continuous 48 States or Abroad are shipped without warranty. Units shipped directly from Unicom's facility to the purchasing party's facilities deemed dead on arrival will be evaluated and replaced at no cost to the purchaser. All other warranty terms and conditions do not apply. Any product that, upon return, is deemed a user-induced failure will be subject to the standard repair rates as specified in the Pricing & Repair Information Sheet on this CD.



Your Key Component

THE ENDURAPRO™ 104 KEY KEYBOARD

Expect More From Your Keyboard!



Features

- IBM® PS/2®, AT® and compatible models
- Curved profile, user-adjustable angle requires 20% less desk space
- Audible and tactile feedback (Buckling Spring or the NEW Whisper Spring)
- Program and customize via the World Wide Web
- Spill resistant design
- Integrated force sensing pointing stick
- Patented Home Row Placement – “GBH” keys
- External PS/2 mouse support via pass-through port
- Microsoft® Windows 3.1x/95/98/NT® compatible
- Made in the USA
- One Year Parts and Labor Warranty

Unicomp’s EnduraPro keyboard is the perfect product for those who expect more from their keyboard. It combines flexibility with functionality to provide the most complete solution available today.

Technical Summary

Keyboard	Standard QWERTY layout, 12 function keys (re-configurable)
Compatibility	IBM PS/2, AT and compatible models
Number of Keys	104 US English only at this time
Size	454 mm x 181 mm x 41 mm
Required Voltage	5 Volts
Storage Temp.	-40° C to 60° C
Operating Temp.	10° C to 40° C
Operating Humidity	8% to 80%
Cable	2.5m coiled attached cable with PS/2
Total Weight	1.8 kg
Distance Between Keys	19.0 mm
Total Travel Key	3.8 mm
Peak Tactile Force	72gms +/- 20gms
Travel to Peak Tactile Force	2.5mm Typical (BS)
Keyswitch Life	25 Million (BS); 10 Million (EQT) Minimum
Agency Approvals	FCC Class B, Certifications Pending
Mouse Use Force Range	10g to 200g
Mouse Life Expectancy	5 Million cycles of deflection
Cursor Control	Infinite direction – Speed is function of force

At last a keyboard that works for you! The EnduraPro is the first in a series of keyboards that promises real choice to the end user. Featuring Unicomp’s patented buckling spring key technology, this keyboard will revolutionize the future of the industry. Contact us at 1-800-777-4886 to speak with a Unicomp representative about purchasing one today.

IBM, PS/2, and AT are trademarks of International Business Machines. Microsoft Windows is a trademark of Microsoft Corporation.

© 1999 Unicomp, Inc., 510 Henry Clay Blvd, Lexington, KY



Your Key Component

THE CUSTOMIZER 101 KEY KEYBOARD

The Keyboard That Set the Standard For The Industry



Features

- IBM® PS/2®, AT® and compatible models
- Curved profile, user-adjustable angle
- Audible and tactile feedback (Buckling Spring)
- Tactile feedback (Enhanced Quiet Touch)
- Spill resistant design
- Fully customizable
- Over 45 language formats available
- Microsoft® Windows 3.1x/95/98/NT® compatible
- Made in the USA
- One Year Parts and Labor Warranty

The critically acclaimed keyboards are back! Unicom's Customizer is the same keyboard that won *PC Computing's* Editors' Choice award in 1993 and critical acclaim on ZDTV's "Screen Savers" program.

Technical Summary

Keyboard Compatibility	Standard QWERTY layout, 12 function buttons IBM PS/2, AT and compatible models
Number of Keys	101 US/102 Worldwide
Size	492 mm x 210 mm x 45 mm
Required Voltage	5 Volts
Storage Temp.	-40° C to 60° C
Operating Temp.	10° C to 40° C
Operating Humidity	8% to 80%
Cable	2.5m coiled attached cable with 6 pin Mini Din or 5 pin Din connector
Total Weight	2.3 kg
Distance Between Keys	19.0 mm
Total Travel Key	3.8 mm (BS) 3/0 mm (EQT)
Peak Tactile Force	72gms (BS); 67gms (EQT) +/- 20gms
Travel to Peak Tactile Force	2.5mm Typical (BS) 1.0 mm (EQT)
Keyswitch Life	25 Million (BS); 10 Million (EQT) Minimum
Agency Approvals	FCC Class B, UL, CE AND CSA

The Customizer features the same crisp, tactile feedback as its IBM and Lexmark predecessors. Unicom's patented buckling spring key technology has brought back the standard by which all keyboards are measured. Contact us at 1-800-777-4886 to speak with a Unicom representative about purchasing yours or incorporating it into your OEM product line. Order safely online at www.pckeyboard.com



Your Key Component

THE ON THE BALL 101 KEY KEYBOARD

Setting the Standard For The Industry...Again



Features

- IBM® PS/2®, AT® and compatible models
- Curved profile, user-adjustable angle
- Audible and tactile feedback (Buckling Spring)
- Tactile feedback (Enhanced Quiet Touch)
- Spill resistant design
- Fully customizable
- Over 45 language formats available
- Integrated 25mm trackball
- Removable trackball for ease of cleaning
- Microsoft® Windows 3.1x/95/98/NT® compatible
- Made in the USA
- One Year Parts and Labor Warranty

Unicomp's On The Ball keyboard is the same product that *Personal Computing* once called "the industry's best." It features an integrated trackball with dual functioning mouse button controls for greater flexibility and comfort

Technical Summary

Keyboard Compatibility	Standard QWERTY layout, 12 function buttons IBM PS/2, AT and compatible models
Number of Keys	101 US/102 Worldwide
Size	492 mm x 210 mm x 45 mm
Required Voltage	5 Volts
Storage Temp.	-40° C to 60° C
Operating Temp.	10° C to 40° C
Operating Humidity	8% to 80%
Cable	2.5m coiled attached cable with Y-connector for PS/2 or Serial interface
Total Weight	2.3 kg
Distance Between Keys	19.0 mm
Total Travel Key	3.8 mm (BS) 3.0 mm (EQT)
Peak Tactile Force	72gms (BS); 67gms (EQT) +/- 20gms
Travel to Peak Tactile Force	2.5mm Typical (BS) 1.0 mm (EQT)
Keyswitch Life	25 Million (BS); 10 Million (EQT) Minimum
Agency Approvals	FCC Class B, UL, CE, and CSA approved
Mouse Features	25mm trackball with twin left/right buttons and unique locking functionality on the top and front face of the device

The On The Ball features the same crisp, tactile feedback as its IBM and Lexmark predecessors. Unicomp's patented buckling spring key technology has brought back the standard by which all keyboards are measured. Contact us at 1-800-777-4886 to speak with a Unicomp representative about purchasing yours or incorporating it into your OEM product line. Order safely online at www.pckeyboard.com



Your Key Component

THE ON THE STICK 101 KEY KEYBOARD

Your Fingers Will Never Leave Your Keyboard Again!



Features

- IBM® PS/2®, AT® and compatible models
- Curved profile, user-adjustable angle
- Audible and tactile feedback (Buckling Spring)
- Tactile feedback (Enhanced Quiet Touch)
- Spill resistant design
- Fully customizable
- Over 45 language formats available
- Integrated force sensing pointing stick
- Patented Home Row Placement – “GBH” keys
- External PS/2 mouse support
- Microsoft® Windows 3.1x/95/98/NT® compatible
- Made in the USA
- One Year Parts and Labor Warranty

Unicomp’s On The Stick keyboard is the perfect product for those who need a space saving solution. Once seen only in laptops, these popular devices leave the cursor right at your fingertips.

© 1999 Unicomp, Inc., 510 Henry Clay Blvd, Lexington, KY

Technical Summary

Keyboard Compatibility	Standard QWERTY layout, 12 function buttons IBM PS/2, AT and compatible models
Number of Keys	101 US/102 Worldwide
Size	492 mm x 210 mm x 45 mm
Required Voltage	5 Volts
Storage Temp.	-40° C to 60° C
Operating Temp.	10° C to 40° C
Operating Humidity	8% to 80%
Cable	2.5m coiled attached cable with Y-connector for PS/2 or Serial interface
Total Weight	2.3 kg
Distance Between Keys	19.0 mm
Total Travel Key	3.8 mm (BS) 3.0 mm (EQT)
Peak Tactile Force	72gms (BS); 67gms (EQT) +/- 20gms
Travel to Peak Tactile Force	2.5mm Typical (BS) 1.0 mm (EQT)
Keyswitch Life	25 Million (BS); 10 Million (EQT) Minimum
Agency Approvals	FCC Class B, UL, CE, and CSA
Mouse Use Force	10g to 200g
Range	
Mouse Life Expectancy	5 Million cycles of deflection
Cursor Control	Infinite direction – Speed is function of force

The On The Stick features the same crisp, tactile feedback as its IBM and Lexmark predecessors. Unicomp’s patented buckling spring key technology will revolutionize the future of the keyboard industry. Contact us at 1-800-777-4886 to speak with a Unicomp representative about purchasing one today. Order safely online at www.pckeyboard.com.

PC Computing is a trademark of Ziff Davis Corp. IBM, PS/2, and AT are trademarks of International Business Machines. Microsoft Windows is a trademark of Microsoft Corporation.



Your Key Component

THE MIGHTY MOUSE 84 KEY KEYBOARD (WITH OPTIONAL NUMERIC KEYPAD)

Developed With Confined Workspaces in Mind



Features

- IBM® PS/2® compatible models
- Low profile, user-adjustable angle and small footprint
- Tactile feedback (Customized Quiet Touch)
- Available with or without pointing stick
- Also available in Black
- Several language formats available
- Optional numeric keypads
- Built-in PS/2 pass through port for additional pointing device
- Microsoft® Windows 3.1x/95/98/NT® compatible
- Made in the USA
- One Year Parts and Labor Warranty

The Mighty Mouse is the premier keyboard for confined workspaces. It offers all the functionality of a standard keyboard in two-thirds the space.

© Unicom, Inc., 510 Henry Clay Blvd, Lexington, KY
IBM, PS/2, and AT are trademarks of International Business Machines. Microsoft Windows is a trademark of Microsoft Corporation.

Technical Summary

Keyboard	84 keys featuring QWERTY layout, 12 function buttons
Compatibility	IBM PS/2, AT and compatible models
Number of Keys	84 US/85 Worldwide
Size	330 mm x 160 mm x 44 mm
Required Voltage	5 Volts
Storage Temp.	-40° C to 60° C
Operating Temp.	10° C to 40° C
Operating Humidity	8% to 80%
Cable	2.5m coiled detachable cable with 6 pin Mini Din Y connector for PS/2 keyboard and mouse port
Total Weight	1.4 kg
Distance Between Keys	19.0 mm
Total Travel Key	3.0 mm
Peak Tactile Force	60gms +/- 20gms
Travel to Peak Tactile Force	1.0mm Typical
Keyswitch Life	10 Million Minimum
Agency Approvals	FCC Class B, UL, CE and CSA

The Mighty Mouse features a specially engineered rubber dome mechanism that offers a crisp, tactile feedback similar to its IBM and Lexmark predecessors. The keyboard also offers the user several options including pass through ports, pointing sticks, and numeric keypads. Contact us at 1-800-777-4886 to speak with a Unicom representative about purchasing yours or incorporating it into your OEM product line. Order safely online at www.pckeyboard.com



Your Key Component

THE ON THE BALL *PLUS* 101 KEY KEYBOARD

You'll Never Need A Mouse Again!



Features

- IBM® PS/2®, AT® and compatible models
- Curved profile, user-adjustable angle
- Audible and tactile feedback (Buckling Spring)
- Tactile feedback (Enhanced Quiet Touch)
- Spill resistant design
- Fully customizable
- Over 45 language formats available
- Integrated force sensing pointing stick
- Patented Home Row Placement – “GBH” keys
- Integrated 25mm trackball
- Removable trackball for ease of cleaning
- Dual mouse button sets with unique locking button feature
- Unique, shared functionality between pointing devices
- Microsoft® Windows 3.1x/95/98/NT® compatible
- Made in the USA
- One Year Parts and Labor Warranty

Technical Summary

Keyboard Compatibility	Standard QWERTY layout, 12 function buttons IBM PS/2, AT and compatible models
Number of Keys	101 US/102 Worldwide
Size	492 mm x 210 mm x 45 mm
Required Voltage	5 Volts
Storage Temp.	-40° C to 60° C
Operating Temp.	10° C to 40° C
Operating Humidity	8% to 80%
Cable	2.5m coiled attached cable with Y-connector for PS/2 or Serial interface
Total Weight	2.3 kg
Distance Between Keys	19.0 mm
Total Travel Key	3.8 mm (BS) 3.0 mm (EQT)
Peak Tactile Force	72gms (BS); 67gms (EQT) +/- 20gms
Travel to Peak Tactile Force	2.5mm Typical (BS) 1.0 mm (EQT)
Keyswitch Life	25 Million (BS); 10 Million (EQT) Minimum
Agency Approvals	FCC Class B, UL, CE, and CSA
Pointing Stick Use	10g to 200g
Force Range	
Pt. Stick Life Expectancy	5 Million cycles of deflection
Pt. Stick Cursor Control	Infinite direction – Speed is function of force

The On The Ball *Plus* features the same crisp, tactile feedback as its IBM and Lexmark predecessors. Unicom's newly developed solution will revolutionize the future of the keyboard industry. Contact us at 1-800-777-4886 to speak with a Unicom representative about purchasing one today. Order safely online at www.pckeyboard.com.



Your Key Component

THE EMULATOR 122 KEY KEYBOARD

A New Beginning for Terminal Keyboards



Features

- IBM® PS/2®, AT® and compatible models
- Curved profile, user-adjustable angle
- Audible and tactile feedback (Buckling Spring)
- Tactile feedback (Enhanced Quiet Touch)
- Spill resistant design
- Fully customizable
- Over 23 language formats available
- Microsoft® Windows 3.1x/95/98/NT® compatible with proper 3rd Party Software
- Made in the USA
- One Year Parts and Labor Warranty

The IBM-style 122 keyboards are back with a new twist! Unicom's Emulator allows the user the same expanded functionality as the original terminal keyboards but in a PC Compatible model.

© Unicom, Inc., 510 Henry Clay Blvd, Lexington, KY

Technical Summary

Keyboard Compatibility	Keyboard layouts vary, 24 function buttons IBM PS/2, AT and compatible models
Number of Keys	122 US and Worldwide
Size	525 mm x 215 mm x 45 mm
Required Voltage	5 Volts
Storage Temp.	-40° C to 60° C
Operating Temp.	10° C to 40° C
Operating Humidity	8% to 80%
Layouts Available	3270, 5250, and customized layouts in 23 different languages
Cable	2.5m coiled attached cable with 6 pin Mini Din or 5 pin Din connector
Total Weight	2.5 kg
Distance Between Keys	19.0 mm
Total Travel Key	3.8 mm (BS) 3.0 mm (EQT)
Peak Tactile Force	72gms (BS); 67gms (EQT) +/- 20gms
Travel to Peak Tactile Force	2.5mm Typical (BS) 1.0 mm (EQT)
Keyswitch Life	25 Million (BS); 10 Million (EQT) Minimum
Agency Approvals	FCC Class B, UL, CE, and CSA

The Emulator features the same crisp, tactile feedback as its IBM and Lexmark predecessors. Unicom's patented buckling spring key technology has brought back the standard by which all keyboards are measured. Contact us at 1-800-777-4886 to speak with a Unicom representative about purchasing yours or incorporating it into your OEM product line. Order safely online at www.pckeyboard.com

IBM, PS/2 and AT are trademarks of International Business Machines. Microsoft Windows is a trademark of Microsoft Corporation.



Your Key Component

THE TERMINAL 122 KEY KEYBOARD

True Terminal Keyboards Are Still Available!



Features

- IBM® PS/2®, AT® and compatible models
- Curved profile, user-adjustable angle
- Audible and tactile feedback (Buckling Spring)
- Tactile feedback (Enhanced Quiet Touch)
- Spill resistant design
- Fully customizable
- Over 23 language formats available
- Compatible with IBM and compatible dumb terminal systems
- Made in the USA
- One Year Parts and Labor Warranty

The IBM-style 122 key keyboards are back! Unicom's Terminal provides the user with a better solution for their terminal system needs. With numerous layouts available, get yours today!

© Unicom, Inc., 510 Henry Clay Blvd, Lexington, KY

Technical Summary

Keyboard Compatibility Number of Keys Size Required Voltage Storage Temp. Operating Temp. Operating Humidity Layouts Available	Keyboard layouts vary, 24 function buttons IBM PS/2, AT, and compatible terminal models 122 US and Worldwide 525 mm x 215 mm x 45 mm 5 Volts -40° C to 60° C 10° C to 40° C 8% to 80% 3270, 5250, and customized layouts in 23 different languages
Cable	2.5m coiled attached cable with 6 pin Mini Din, 5 pin Din connector, or RJ connector
Total Weight Distance Between Keys Total Travel Key Peak Tactile Force Travel to Peak Tactile Force Keyswitch Life Agency Approvals	2.5 kg 19.0 mm 3.8 mm (BS) 3.0 mm (EQT) 72gms (BS); 67gms (EQT) +/- 20gms 2.5mm Typical (BS) 1.0 mm (EQT) 25 Million (BS); 10 Million (EQT) Minimum FCC Class B, UL, CE, and CSA

The Terminal features the same crisp, tactile feedback as its IBM and Lexmark predecessors. Unicom's patented buckling spring key technology has brought back the standard by which all keyboards are measured. Contact us at 1-800-777-4886 to speak with a Unicom representative about purchasing yours or incorporating it into your OEM product line. Order safely online at www.pckeyboard.com

IBM, PS/2 and AT are trademarks of International Business Machines. Microsoft Windows is a trademark of Microsoft Corporation.



Your Key Component

THE POINT OF SALE KEYBOARD

Featuring Several Different Options, It is a Complete Solution



Features

- IBM® PS/2®, AT® and compatible models
- Curved profile, user-adjustable angle
- Audible and tactile feedback (Buckling Spring)
- Tactile feedback (Enhanced Quiet Touch)
- Spill resistant design
- Fully customizable
- Several language formats available
- Compatible with most POS software systems
- Integrated Pointing Device also available.
- Made in the USA
- One Year Parts and Labor Warranty

Technical Summary

Keyboard Compatibility	101/122 key models, 12/24 function buttons IBM PS/2, AT and compatible models
Number of Keys	101/102/122 US and Worldwide
Size	492mm x 210mm x 44mm or 525 mm x 215 mm x 45 mm
Required Voltage	5 Volts
Storage Temp.	-40° C to 60° C
Operating Temp.	10° C to 40° C
Operating Humidity	8% to 80%
Layouts Available	PC and all Terminal/Emulation layouts supported (3270 and 5250)
Cable	2.5m coiled with 6 pin Mini Din or 5 pin Din
Total Weight	2.3 or 2.5 kg
Distance Between Keys	19.0 mm
Total Travel Key	3.8 mm (BS) 3.0 mm (EQT)
Peak Tactile Force	72gms (BS); 67gms (EQT) +/- 20gms
Travel to Peak Tactile Force	2.5mm Typical (BS) 1.0 mm (EQT)
Keyswitch Life	25 Million (BS); 10 Million (EQT) Minimum
Agency Approvals	FCC Class A, UL, and CSA

The Unicom line has grown to include a complete solution for your Point of Sale needs. The POS line of products allows the user to incorporate all of their peripheral devices into one, compact space.

© Unicom, Inc., 510 Henry Clay Blvd, Lexington, KY
IBM, PS/2 and AT are trademarks of International Business Machines

The POS line of products is unique because it allows the user to determine the best features for their application. All models are available with either a Magnetic Stripe Reader, External Bar Code port, integrated pointing device, or all of the above. The applications for these products are endless. These features, coupled with Unicom's patented buckling spring key technology, make it a total solution. Contact us at 1-800-777-4886 to speak with a Unicom representative today.



Your Key Component

THE WEBBOARD 88 KEY KEYBOARD

The Unicom Keyboard Family Has Grown!



Features

- IBM® PS/2®, AT® and compatible models
- User-adjustable angle and small footprint
- Tactile feedback (Customized Quiet Touch)
- Infra-red and cabled versions available
- 4 AA batteries included
- Two pointing stick devices
- Two sets of mouse buttons
- Internet browsing scroll buttons
- Multimedia control buttons included
- Microsoft® Windows 3.1x/95/98/NT® compatible
- One Year Parts and Labor Warranty

The Webboard adds a new twist to the popular Mighty Mouse line of products. Available in wireless and cabled models, it offers more choice and functionality for confined workspaces.

Technical Summary

Keyboard	88 keys featuring QWERTY layout, 12 function buttons, Windows 95 buttons
Compatibility	IBM PS/2 compatible models
Number of Keys	88 US layout only
Size	340 mm x 170 mm x 28 mm
Required Voltage	5 Volts
Storage Temp.	20° C to 60° C
Operating Temp.	0° C to 50° C
Operating Humidity	8% to 80%
Cable	2.0 m coiled attached cable with 6 pin Mini Din
Total Weight	1 kg
Distance Between Keys	19.0 mm
Total Travel Key	4.0 mm
Peak Tactile Force	60gms +/- 20gms
Travel to Peak Tactile Force	1.0mm Typical
Keyswitch Life	10 Million Minimum
Agency Approvals	FCC Class B, CE approved

The Webboard features a specially engineered rubber dome mechanism that offers a crisp, tactile feedback similar to its IBM and Lexmark predecessors. The keyboard also offers the user several options including wireless capability, multiple pointing devices/mouse buttons, and scrolling button features. Contact us at 1-800-777-4886 to speak with a Unicom representative about purchasing yours. Order safely online at www.pckeyboard.com



Your Key Component

THE VALUE PLUS 104 KEY KEYBOARD

The Low Cost Keyboard with a Difference!



Features

- IBM® PS/2®, AT® and compatible models
- Streamlined profile, user-adjustable angle
- Reduced footprint requires 20% less desk space
- Soft Touch with positive tactile feedback
- Models With Common Commands printed on the buttons
- Available with Mini-Din or Din connector
- U.S. English Only
- Microsoft® Windows 3.1x/95/98/NT® compatible
- Made in the USA
- One Year Parts and Labor Warranty

This keyboard delivers extraordinary performance at a price that even the most cost-conscious buyer will appreciate.

Technical Summary

Keyboard Compatibility	Standard QWERTY layout, 12 function buttons IBM PS/2, AT and compatible models
Number of Keys	104 US Only
Size	464 mm x 159 mm x 35 mm
Required Voltage	5 Volts
Storage Temp.	-40° C to 60° C
Operating Temp.	10° C to 40° C
Operating Humidity	8% to 80%
Cable	1.8m coiled attached cable with 6 pin Mini Din or 5 pin Din connector
Total Weight	0.84 kg
Distance Between Keys	19.0 mm
Total Travel Key	3.0 mm
Peak Tactile Force	55gms +/- 10gms
Travel to Peak Tactile Force	1.0 mm Typical
Keyswitch Life	10 Million Minimum
Agency Approvals	FCC Class B, UL, CE, and CSA

The Value Plus is a reduced footprint keyboard with a solid look and feel that fits well with today's PC's. All models feature the Windows '95 hot keys with additional shortcut commands available as well. Contact us at 1-800-777-4886 to speak with a Unicom representative about purchasing yours or incorporating it into your OEM product line. Order safely online at www.pckeyboard.com