

[Offering Information](#) > [Announcement Letters](#) >

- Options by IBM: Accessory Products

October 17, 1994

Announcement Number: 194-361

---

Document's Table of Contents:

- [Abstract](#)
- [TRACKPOINT II KEYBOARD \(RAVEN BLACK\) -- PS STYLE \(13H6705\)](#)

---

## Abstract

The system components that come in contact with your sense of touch, namely the keyboard and mouse, have a big impact on productivity and comfort. Options(TM) by IBM(R) provides quality accessory products that support IBM and IBM-compatible computers produced by other manufacturers.

The Options line offers a variety of keyboards and mice to work on IBM and industry standard systems. The Enhanced Mouse II attaches to a PS/2(R) mouse port and is available in pearl white and raven black.

The TrackPoint(TM) II Keyboard has a PS-style interface and is available in raven black.

The new Adjustable Keyboard is designed to conform to each individuals definition of comfort, and can adapt to virtually all workstation layouts. You can adjust it to fit a variety of hand positions, even split it in half if you prefer. It is ideal for users seeking an alternative to the standard keyboard.

Both the TrackPoint II Keyboard and the Adjustable Keyboard attach to the following systems: ValuePoint(TM), PS/1(R), PS/2,

PS/Note(TM), ThinkPad(R), IBM PC Series, Aptiva, and many IBM-compatible computers produced by other manufacturers.

Technical Support: Call the HelpCenter(R) (800-426-7299) or request technical information via IBM Faxback (800-426-3395).

Description	Part Number	Planned Availability	Single Unit Price
TrackPoint II Keyboard			
(Raven Black) -- PS Style	13H6705	11/30/94	\$179
Enhanced Mouse II --			
Pearl White	13H6690	11/15/94	35
Enhanced Mouse II --			
Raven Black	13H6714	11/15/94	35
Adjustable Keyboard --			
PS/AT Style	13H6689	11/15/94	189

These products are well suited for commercial and retail enterprises.

(TM) Trademark of International Business Machines Corporation

(R) Registered trademark of International Business Machines Corporation

\*\* Product or company name is a trademark or registered trademark of its respective holder.

## IN BRIEF...

+-----+	
TrackPoint II Keyboard (Raven Black) -- PS Style	
o Black keyboard with built-in TrackPoint II	

- | o 101 key keyboard
- | o Positive tactile feedback
- | o Buckling spring key technology
- | o Eliminates the need for a mouse
- | o Saves desk space

| Enhanced Mouse II -- Pearl White

- | o 400 DPI (dots per inch)
- | o 1000 km travel life
- | o Attaches to a PS/2 mouse port
- | o Comfortable and reliable

| Enhanced Mouse II -- Raven Black

- | o 400 DPI (dots per inch)
- | o 1000 km travel life
- | o Attaches to a PS/2 mouse port
- | o Ideal for docking stations
- | o Comfortable and reliable

| Adjustable Keyboard -- PS/AT(R) Style

- | o Adjustable with standard QWERTY layout

- | o Buckling spring technology
- | o Left and right set of cursor keys
- | o 12 function keys
- | o Erase-Eaze\*\* feature
- | o Low, stepped profile
- | o Oversized spacebar

## TRACKPOINT II KEYBOARD (RAVEN BLACK) -- PS STYLE (13H6705)

### Technical Information

#### Physical Specifications:

Width: 492 mm (19.37 in.)

Depth: 210 mm (8.27 in.)

Height: 44 mm (1.73 in.)

Weight: 2.3 kg (5.00 lbs)

#### Operating Environment:

Temperature: 10(deg)C -- 40(deg)C (50(deg)F -- 105(deg)F)

Relative humidity: 8% to 80%

#### Agency Approvals:

U.S. FCC Rules and Regulations, Part 15, Class B limits

UL

CSA

TUV

Original Country of Origin: U.S.A.

Note: This may vary through the life of the product.

Hardware Requirements -- IBM Systems: The TrackPoint II Keyboard (Black) -- PS Style (#3056, 13H6705) works on PS/2 and ISA-standard computers with 6-pin mini-DIN, PS-style keyboard, and mouse connectors; however, it will not work on AT-style/serial interfaces. This keyboard is supported on all models of the following IBM platforms:

Description	Machine Type
PS/1	2133, 2141, 2155, 2168
PC Series 300	6571, 6573, 6581, 6583, 6575, 6585
PC Series 700	6886, 6876, 6885, 6875
Aptiva	2144, 2168
PS/2 E	9533
PS/2	8525, 8530, 8535, 8540, 8543, 8550,

8551, 8554, 8555, 8556, 8557, 8560,  
8565, 8570, 8573, 8580, 8590, 8595,  
8640, 9553, 9556, 9557, 9576, 9577,  
9585, 9590, 9595

ValuePoint 6381, 6382, 6384, 6387, 6472, 6482,  
6484, 6492, 6494

ThinkPad 2603, 2618, 2620, 9545

Software Requirements: DOSSHELL users require DOS 5.0, or later, to support this keyboard.

Compatibility: The TrackPoint II Keyboard is designed to be compatible with industry standard computers that meet the voltage and pin requirements as defined in the Hardware Requirements section. IBM has performed compatibility testing with a broad mix of IBM compatible computers produced by other manufacturers.

The keyboard attaches to PS/1, PS/2, ValuePoint, PS/Note, ThinkPad, IBM PC Series, Aptiva, and many IBM-compatible computers produced by other manufacturers with a PS/style mouse port.

The TrackPoint II Keyboard will not work on non-IBM compatible interface computers such as Apple\*\*/Macintosh\*\*.

Limitations: The TrackPoint II Keyboard will not work on systems with integrated pointing devices that cannot be disabled.

The mouse connector must be attached to a PS-style mouse port only. Attaching the mouse connector to a serial port or bus mouse port might cause damage to your computer.

## Planning Information

Cable Orders Required: No

Installation Time: Six minutes

Packaging: One box

Shipment Group

- Keyboard with TrackPoint II

- Cable

- Mouse Driver Diskette

- Spare TrackPoint II Caps

- Installation/users guide

- Warranty and support information

- Registration Card

Note: An Options By IBM Hardware Maintenance Manual Supplement (S83G-9902, 83G9902) is available in support of this product.

## Security, Auditability, and Control

User management is responsible for evaluation, selection, and implementation of security features, administrative procedures, and appropriate controls in application systems and communication facilities.

## Terms and Conditions

Field Installable Feature: Yes

Warranty Period: One year

Warranty Service: Customer Carry-In Exchange (CCE)

Customer Setup: Yes

All other terms and conditions are the same as those applicable to the IBM machine type in which the feature is installed.

## Help and Service Information

During the warranty period, technical support is available (800-426-7299) 24 hours a day, seven days a week, for answering any questions about your new IBM Option. If you need warranty service, return or exchange is available. In addition, if your IBM Option is installed in an IBM computer, you may be entitled to service at your location. Your technical support representative can help you determine the best alternative.

## Charges



Description	Part Number	Single Unit Price*
TrackPoint II Keyboard	13H6705	\$179

\* The single unit price reflects the purchase price for a single unit acquired from IBM, and is subject to change without notice. This price is for information purposes only, and shall not limit in any way the remarketers' ability to set their own prices for IBM products.

### **ENHANCED MOUSE II -- PEARL WHITE (13H6690)**

The Enhanced Mouse II has a 400 DPI (dots per inch) resolution and a travel life of 1000 km. It will attach to the following systems: ValuePoint, PS/1, PS/2, PS/Note, ThinkPads, IBM PC Series, Aptiva, and many IBM-compatible computers produced by other manufacturers.

Planned Availability Date: November 15, 1995

### **Technical Information**

#### Physical Specifications:

Width: 63 mm (2.50 in.)

Depth: 108 mm (4.25 in.)

Height: 32 mm (1.25 in.)

Weight: .118 kg (4.20 oz)

Operating Environment:

Temperature: 10(degs)C -- 40(degs)C (50(degs)F -- 105(degs)F)

Relative humidity: 8% to 80%

Agency Approvals:

U.S. FCC Rules and Regulations, Part 15, Class B limits

UL

CSA

TUV

Original Country of Origin: Taiwan

Note: This may vary through the life of the product.

Hardware Requirements -- IBM Systems: The Enhanced Mouse II -- Pearl White (#2666, 13H6690) is supported on the following platforms:

Description	Machine Type	Model
PS/1	2133, 2141, 2155, 2168 2618	All
PC Series 300	6571, 6573, 6581, 6583, 6575, 6585	All
PC Series 700	6886, 6876, 6885, 6875	All

Aptiva	2144, 2168	All
PS/2 E	9533	All
PS/2	8525, 8530, 8535, 8540, 8543, 8550, 8551, 8554, 8555, 8556, 8557, 8560 8565, 8570, 8573, 8580, 8590, 8590, 8595, 8640, 9553, 9556, 9557, 9576 9577, 9585, 9590, 9595	All
ValuePoint	6381, 6382, 6384, 6387, 6472, 6482, 6484, 6492, 6494	All
ThinkPad	2620 9545	All E0C, E0E, E0G, K0C, K0E, K0G, F0C, F0E, F0G, L0C, L0E, L0G

Limitations: The Enhanced Mouse II cannot be used in conjunction with an IBM 8516 touch screen monitor.

## Planning Information

Cable Orders Required: No

Installation Time: Six minutes

Packaging: One box

Shipment Group

- Mouse

- 3.5-inch driver diskette

- Installation/users guide

- Warranty and support information

- Registration Card

Note: An Options By IBM Hardware Maintenance Manual Supplement (S83G-9902, 83G9902) is available in support of this product.

## Security, Auditability, and Control

User management is responsible for evaluation, selection, and implementation of security features, administrative procedures, and appropriate controls in application systems and communication facilities.

## Terms and Conditions

Field Installable Feature: Yes

Warranty Period: One year

Warranty Service: Customer Carry-In Exchange (CCE)

Customer Setup: Yes

All other terms and conditions are the same as those applicable to the IBM machine type in which the feature is installed.

## Help and Service Information

During the warranty period, technical support is available (800-426-7299) 24 hours a day, seven days a week, for answering any questions about your new IBM Option. If you need warranty service, return or exchange is available. In addition, if your IBM Option is installed in an IBM computer, you may be entitled to service at your location. Your technical support representative can help you determine the best alternative.

## Charges

Description	Part Number	Single Unit Price*
Enhanced Mouse II	13H6690	\$35

- \* The single unit price reflects the purchase price for a single unit acquired from IBM, and is subject to change without notice. This price is for information purposes only, and shall not limit in any way the remarketers' ability to set their own prices for IBM products.

## ENHANCED MOUSE II -- RAVEN BLACK (13H6714)

The Enhanced Mouse II has a 400 DPI (dots per inch) resolution and a travel life of 1000 km. It will attach to the following systems: ValuePoint, PS/1, PS/2, PS/Note, ThinkPads, IBM PC Series, Aptiva, and many IBM-compatible computers produced by other manufacturers.

Planned Availability Date: November 15, 1994

## Technical Information

### Physical Specifications:

Width: 63 mm (2.50 in.)

Depth: 108 mm (4.25 in.)

Height: 32 mm (1.25 in.)

Weight: .118 kg (4.20 oz)

### Operating Environment:

Temperature: 10(deg)C -- 40(deg)C (50(deg)F -- 105(deg)F)

Relative humidity: 8% to 80%

### Agency Approvals

U.S. FCC Rules and Regulations, Part 15, Class B limits

UL

CSA

TUV

Original Country of Origin: Taiwan

Note: This may vary through the life of the product.

Hardware Requirements -- IBM Systems: The Enhanced Mouse II -- Raven Black (#2671, 13H6714) is supported on the following IBM platforms:

Description	Machine Type	Model
PS/1	2133, 2141, 2155, 2168, 2618	All
PC Series 300	6571, 6573, 6581, 6583, 6575, 6585	All
PC Series 700	6886, 6876, 6885, 6875	All
Aptiva	2144, 2168	All
PS/2 E	9533	All
PS/2	8525, 8530, 8535, 8540, 8543, 8550, 8551, 8554, 8555, 8556, 8557, 8560, 8565, 8570, 8573, 8580, 8590, 8595, 8640, 9553, 9556, 9557, 9576, 9577,	

	9585, 9590, 9595	All
ValuePoint	6381, 6382, 6384, 6387, 6472, 6482, 6484, 6492, 6494	All
ThinkPad	2620 9545	All E0E, E0G, K0C, K0E, K0G, F0E, F0G, L0C, L0E, L0G, E0C, F0C

Limitations: The Enhanced Mouse II cannot be used in conjunction with an IBM 8516 touch screen monitor.

## Planning Information

Cable Orders Required: No

Installation Time: Six minutes

Packaging: One box

Shipment Group

Mouse

3.5-inch driver diskette

Installation/users guide



Warranty and support information

Registration Card

Note: An Options By IBM Hardware Maintenance Manual Supplement (S83G-9902, 83G9902) is available in support of this product.

### **Security, Auditability, and Control**

User management is responsible for evaluation, selection, and implementation of security features, administrative procedures, and appropriate controls in application systems and communication facilities.

### **Terms and Conditions**

Field Installable Feature: Yes

Warranty Period: One year

Warranty Service: Customer Carry-in Exchange (CCE)

Customer Setup: Yes

All other terms and conditions are the same as those applicable to the IBM machine type in which the feature is installed.

### **Help and Service Information**

During the warranty period, technical support is available (800-426-7299) 24 hours a day, seven days a week, for answering any questions about your new IBM Option. If you need warranty service, return or exchange is available. In addition, if your IBM Option is installed in an IBM computer, you may be entitled to service at your location. Your technical support representative can help you determine the best alternative.

## Charges

Description	Part Number	Single Unit Price*
Enhanced Mouse II	13H6714	\$35

- \* The single unit price reflects the purchase price for a single unit acquired from IBM, and is subject to change without notice. This price is for information purposes only, and shall not limit in any way the remarketers' ability to set their own prices for IBM products.

## ADJUSTABLE KEYBOARD -- PS/AT STYLE (13H6689)

### Technical Information

#### Physical Specifications:

Width: 400 mm (15.75 in.)

Depth: 190 mm (7.50 in.)

Height: 41 mm (1.60 in.)

Weight: 1.59 kg (3.50 lbs)

#### Operating Environment:

Temperature: 10(degs)C -- 40(degs)C (50(degs)F -- 105(degs)F)

Relative humidity: 8% to 80%

#### Agency Approvals:

U.S. FCC Rules and Regulations, Part 15, Class B limits

UL

CSA

TUV

Original Country of Origin: U.S.A.

Note: This may vary through the life of the product.

Hardware Requirements -- IBM Systems: The Adjustable Keyboard -- PS/AT Style (#2665, 13H6689) is supported on all models of the following IBM platforms:

Description	Machine Type
PS/1	2133, 2141, 2155, 2168, 2618
PC Series 300	6571, 6573, 6581, 6583, 6575, 6585
PC Series 700	6886, 6876, 6885, 6875
Aptiva	2144, 2168

PS/2 E	9533
PS/2	8525, 8530, 8535, 8540, 8543, 8550, 8551, 8554, 8555, 8556, 8557, 8560, 8565, 8570, 8573, 8580, 8590, 8595, 8640, 9553, 9556, 9557, 9576, 9577, 9585, 9590, 9595
ValuePoint	6381, 6382, 6384, 6387, 6472, 6482, 6484, 6492, 6494
ThinkPad	2603, 2618, 9545, 9552

Software Requirements: DOSSHELL users require DOS 5.0, or later, to support this Keyboard.

Compatibility: The Adjustable Keyboard is designed to be compatible with industry standard computers that meet the voltage and pin requirements as defined in the Hardware Requirements section. IBM has performed compatibility testing with a broad mix of IBM compatible computers produced by other manufacturers.

The keyboard attaches to PS/1, PS/2, ValuePoint, PS/Note, ThinkPad, IBM PC Series, Aptiva, and many IBM-compatible computers produced by other manufacturers with a PS/style mouse port.

The Adjustable Keyboard will not work on non-IBM compatible interface computers such as Apple/Macintosh.

Limitations: The mouse connector must be attached to a PS-style mouse port only. Attaching the mouse connector to a serial port or bus mouse port might cause damage to your computer.

## Planning Information

Cable Orders Required: No

Installation Time: Six minutes

Packaging: One box

Shipment Group

Adjustable Keyboard

AT-style Keyboard Adapter

Cable

Installation/users guide

Warranty and support information

Registration Card

An Options By IBM Hardware Maintenance Manual Supplement (S83G-9902, 83G9902) is available in support of this product.

## Security, Auditability, and Control

User management is responsible for evaluation, selection, and implementation of security features, administrative procedures, and appropriate controls in application systems and communication facilities.

## Terms and Conditions

Field Installable Feature: Yes

Warranty Period: One year

Warranty Service: Customer Carry-in Exchange (CCE)

Customer Setup: Yes

All other terms and conditions are the same as those applicable to the IBM machine type in which the feature is installed.

## Help and Service Information

During the warranty period, technical support is available (800-426-7299) 24 hours a day, seven days a week, for answering any questions about your new IBM Option. If you need warranty service, return or exchange is available. In addition, if your IBM Option is installed in an IBM computer, you may be entitled to service at your location. Your technical support representative can help you determine the best alternative.

## Charges

Description	Part Number	Single Unit Price*
Adjustable Keyboard	13H6689	\$189

- \* The single unit price reflects the purchase price for a single unit acquired from IBM, and is subject to change without notice. This price is for information purposes only, and shall not limit in any way the remarketers' ability to set their own

prices for IBM products.